

# DETA

M E T A L C L A D



*Rugged Reliability with Style*



**DETA**  
M E T A L C L A D



## *rugged reliability with style*

*In developing our new Metalclad range we've covered every aspect from design to installation and the result is a fully comprehensive range of products that is probably the best of its kind on the market.*

Manufactured from high quality steel with stylish good looks, the DETA Metalclad range has a striking

appearance with frontplates that fit flush to the back box, gently curving rockers and discrete neon indicators.

Insist on Metalclad from DETA when you need rugged reliability with style.



*Stylish curved rockers*



New DETA  
Metalclad

Old style  
Metalclad

*Compare the appearance of the new flush front plates against the old flange fitting type*



## *tested to the toughest limits*

*Deta Metalclad is designed to withstand everyday knocks and scrapes. The durable and tough finish is further enhanced by a superb protective coating to stand up to arduous duty in virtually any environment.*

It is ideal for use in all commercial and light industrial applications such as workshops, factories,

warehouses, laboratories and hospitals as well as domestic applications in lofts and garages.

Typical of our attention to detail is the new design of the socket insert which further strengthens the moulding for additional protection on accidental impact.



*Tough all-round protective coating*



*Tough enough to withstand today's knocks and scrapes*



*Flush fitting front plates for sleek appearance*



*New design socket insert*



**DETA**  
METALCLAD



## *designed for easy installation*


*Installation could not be simpler with funnel entry colour coded terminals and clear white markings, in line with the latest amendment to the IEE Wiring regulations.*

Earth terminals have been increased in size for extra capacity and the earth bar is recessed for additional safety.

20mm knockouts are provided on all sides and the rear of the back box and are no longer recessed to give a clean flush appearance if there is no need for removal.




*Funnel entry, colour coded terminals*



*Clear white markings*



*Flush 20mm knockouts on all sides and back*



*Recessed earth bar*



## *packaged for practicality*

*Through consultation with professionals in the electrical trade all Deta Metalclad products are packaged with the installer in mind. Consequently each product is supplied with the frontplate in its own protective packaging.*

When the back box is installed at first fix stage, the frontplate can remain unopened so it stays clean and undamaged until required at second fix.

Every product is supplied with its own back box, except blank plates.



*Designed using the latest technology*



*Thorough test procedures*

## Sockets



1g 13A Socket Unswitched

M1206

2g 13A Socket Unswitched

M1208

1g 13A DP Socket Switched

M1207DP

2g 13A DP Socket Switched

M1209DP

## Connection Units



13A Unswitched Connection Unit

M1210

13A Unswitched Connection Unit with Flex Outlet

M1210FL

13A Switched Connection Unit

M1211

13A Switched Connection Unit with Flex Outlet

M1211FL

13A Switched Connection Unit with Neon

M1212

13A Switched Connection Unit with  
Neon & Flex Outlet

M1212FL

## Plate Switches



1g 2 Way Plate Switch

M1203

2g 2 Way Plate Switch

M1204

3g 2 Way Plate Switch

M1205

## DP Switches



20A DP 1g Switch

M1213

20A DP 1g Switch with Neon

M1214

20A DP 1g Switch with Neon & Flex Outlet

M1214FL

45A DP 1g Switch with Neon

M1300P

## Blank Plates



1g Blank Plate

M1200

2g Blank Plate

M1201

## Boxes



1g Spare Box

M1228

2g Spare Box

M1229

All products are supplied complete with back box, except blank plates.  
All products meet the relevant British Standards.



**DETA**  
M E T A L C L A D

**Deta Electrical Co Ltd**  
Kingsway House  
Laporte Way  
Luton  
Bedfordshire UK  
LU4 8RJ

[www.detaelectrical.co.uk](http://www.detaelectrical.co.uk)  
E-mail : [sales@detaelectrical.co.uk](mailto:sales@detaelectrical.co.uk)

*Tel +44 (0)1582 544 544*  
*Fax +44 (0)1582 544 545*