


Mini Gamma

IP 30 enclosures



new




Mini Gamma

The new Mini Gamma range provides a Class II enclosure solution from two to ten modular ways, in five different sizes.

Installer friendly technical features reduce the installation time, whilst a range of optional extras such as plain or transparent doors, and snap in modular terminal bars ensure the enclosures suitability for the broadest possible range of uses.

As standard the product is supplied with an Earth bar, however, additional Earth and Neutral bars can be added as required to achieve your specific product requirement.



Mini Gamma IP 30






**Insulated enclosures
1 row from 2 to 10**

Surface mounted enclosures, with a rigid chassis, housing a 47 mm DIN rail.

Supplied with Earth terminals (except GD102E), marking labels and sealing grommets to maintain Class II.

Options:


- keylock.
- plain or transparent door.
- terminals and terminal supports.

	description		pack quantity	cat ref.
 GD102E	1 row, 2 l. 55 x h. 160 x d. 75 mm	Compatible with WAGO type 273 connector block. (Not Supplied)	10	GD102E
	1 row, 4 l. 110 x h. 180 x d. 75 mm	E : 2 x 16 + 2 x 10mm ² (capacity to fit an additional 4 hole terminal bar on existing support)	5	GD104E
 GD106E	1 row, 6 l. 148 x h. 180 x d. 75 mm	E : 2 x 16 + 2 x 10mm ² (capacity to fit an additional two 4 hole terminal bars or one 7 hole terminal bar on existing support)	4	GD106E
	1 row, 8 l. 182 x h. 180 x d. 75 mm	E : 3 x 16 + 4 x 10mm ² (capacity to fit an additional two 4 hole terminal bars or one 7 hole terminal bar on existing support)	1	GD108E
	1 row, 10 l. 218 x h. 180 x d. 75 mm	E : 3 x 16 + 4 x 10mm ² (capacity to fit an additional three 4 hole terminal bars or two 7 hole terminal bars on existing support)	1	GD110E


Mini Gamma IP 30

	description	for enclosure Ref	cat ref.	
 GD108P	plain door with integrated handle (use of door increases IP rating to IP40)	GD102E	GP102P	
		GD104E	GP104P	
		GD106E	GP106P	
		GD108E	GP108P	
		GD110E	GP110P	
 GD110T	transparent door with integrated handle (use of door increases IP rating to IP40)	GD102E	GP102T	
		GD104E	GP104T	
		GD106E	GP106T	
		GD108E	GP108T	
		GD110E	GP110T	
 GZ104S	terminal support (no terminals)	GD104E	GZ104S	
		GD106E	GZ106S	
		GD108E	GZ108S	
		GD110E	GZ110S	
	keylock	for plain or transparent door	VZ313	
	description	characteristics	Neutral (blue) cat ref.	Earth (green) cat ref.
 GZO4N	terminals for Mini Gamma (63 A Rating)	2 x 16 + 2 x 10	GZ04N	GZ04E
		3 x 16 + 4 x 10	GZ07N	GZ07E


GD102E




GD104E




GD106E




GD108E



GD110E



GD102E to GD110E



Bristol Regional Centre

135 Aztec West
Almondsbury
Bristol
BS32 4UB
Tel: 01454 616245
Fax: 01454 617172

Falkirk Regional Centre

5a Callendar Business Park
Callendar Road
Falkirk
FK1 1XR
Tel: 01324 632128
Fax: 01324 631294

London Regional Centre

Warwick House
65-66 Queen Street
London
EC4R 1EB
Tel: 0207 3293891
Fax: 0207 3293893

Midlands Regional Centre

Hortonwood 50
Telford
Shropshire
TF1 7FT
Tel: 01952 675615
Fax: 01952 675626

Wakefield Regional Centre

Brindley Way
Wakefield 41 Ind. Estate
Wakefield
West Yorkshire
WF2 0XQ
Tel: 01924 871103
Fax: 01924 824429

Visit our website:

www.hager.co.uk

e-mail us @

info@hager.co.uk
sales@hager.co.uk
technical@hager.co.uk

Ireland

Hager Ltd.

Unit M2 Furry Park
Industrial Estate,
Santry,
Dublin 9.
Ireland.

From ROI

Tel: 1890 551 502
Fax: 1890 551 503

From NI

Tel: 028 90 773310
Fax: 028 90 773572

Email: info@hager.ie
Web: <http://www.hager.ie>



National Sales Hotline
0870 240 2400

National Technical Support Helpline
0870 607 6677

National Sales Faxline
0870 240 0400

Visit our website:
www.hager.co.uk

e-mail us @
info@hager.co.uk
sales@hager.co.uk
technical@hager.co.uk