


PERIMETER AND DISTRIBUTION



Premier is a modern integrated trunking system which provides the means to distribute power, data and telecom services around buildings.

A wide range of snap fit mouldings, including reducers, make it easy to run continuous lengths of trunking as cable feeders and, where required, to provide dado trunking with the necessary power, data and telecom outlets. The Accent and Logic Plus accessory ranges complement the style and finish of Premier Trunking.



Components are available in a choice of over 180 RAL paint colours. Specify your choice when ordering.

Reducers are used to connect different sizes of trunking

Internal and external corners



PERIMETER AND DISTRIBUTION

TRUNKING

MATERIAL: PVC-U
COLOUR: White

3 METRE
LENGTHS

2 METRE
LENGTHS



SPARE
TRUNKING LID
3 METRE
LENGTHS

INTERNAL
COUPLER

MOULDED

JOINT
COVER

MOULDED



50 x 50mm	NCT/5050	12m	NCT/5050 D1*	12m	NCT/50LID	12m	NCI/5050	5	NJC/5050	10
75 x 50mm	NCT/7550	12m	NCT/7550 D1*	12m	NCT/50LID	12m	NCI/7550	5	NJC/7550	10
75 x 75mm	NCT/7575	12m	NCT/7575 D1*	8m	NCT/75LID	12m	NCI/7575	5	NJC/7575	10
100 x 40mm	NCT/1040	12m	NCT/1040 D1*	8m	NCT/100LID	12m	NCI/1040	5	NJC/1040	5
100 x 50mm	NCT/1050	12m	NCT/1050 D1*	8m	NCT/100LID	12m	NCI/1050	5	NJC/1050	5
100 x 100mm	NCT/1010	12m	NCT/1010 D1*	8m	NCT/100LID	12m	NCI/1010	5	NJC/1010	5

*2 metre lengths are available
for NON UK markets.

EXTERNAL
CORNER

MOULDED

WITH
DATA CORNER
MOULDED



INTERNAL
CORNER

MOULDED

WITH
DATA CORNER
MOULDED

FLAT ANGLE

MOULDED



50 x 50mm	NAE/5050	2		NAI/5050	2		NAF/5050	2
75 x 50mm	NAE/7550	2		NAI/7550	2		NAF/7550	2
75 x 75mm	NAE/7575	2		NAI/7575	2		NAF/7575	2
100 x 40mm	NAE/1040	2		NAI/1040	2		NAF/1040	2
100 x 50mm	NAE/1050	2	NDAE/1050	2	NAI/1050	2	NDAI/1050	2
100 x 100mm	NAE/1010*	1		NAI/1010*	1		NAF/1010*	1

*Fabricated

Data corner provides
32mm (1¼" or 1.25")
radius compatible with
Cat 5e data cables

*Fabricated

Data corner provides
32mm (1¼" or 1.25")
radius compatible with
Cat 5e data cables

*Fabricated

CABLE RETAINER

MOULDED

CABLE DIVIDER

3 METRE

END CAP

UNIVERSAL
FOR USE AT
EITHER END
MOULDED

UNDERBOX DIVIDER

1 GANG 2 GANG
USED TO MAINTAIN CABLE SEGREGATION
BEHIND SOCKET OUTLETS



Premier components are available in a choice of over 180 RAL paint colours. Specify your choice when ordering.



NBP/50	10	NVS/50	36m	NEP/5050	5				
NBP/75	10	NVS/50	36m	NEP/7550	5				
NBP/75	10	NVS/75	36m	NEP/7575	5				
NBP/100	10	NVS/40	36m	NEP/1040	5	NUB/401	10	NUB/402	10
NBP/100	10	NVS/50	36m	NEP/1050	5	NUB/501	10	NUB/502	10
NBP/100	10	NVS/100	36m	NEP/1010	5	NUB/1001	10	NUB/1002	10

FLAT TEE

WITH
DATA CORNER
MOULDED

MOULDED

WITH
DATA CORNER
MOULDED

MOULDED

DOUBLE SET

FABRICATED

INTERNAL TEE

FABRICATED

EXTERNAL TEE

FABRICATED



		NTF/5050	2		NMD/5050	2	NTI/5050	1	NTE/5050	1
		NTF/7550	2				NTI/7550	1	NTE/7550	1
		NTF/7575	2				NTI/7575	1	NTE/7575	1
		NTF/1040	2				NTI/1040	1	NTE/1040	1
NDAF/1050	2	NTF/1050	2	NDF/1050	2		NTI/1050	1	NTE/1050	1
		NTF/1010*	1				NTI/1010	1	NTE/1010	1

Data corner provides 32mm (1 1/4" or 1.25") radius compatible with Cat 5e data cables


*Moulded

Data corner provides 32mm (1 1/4" or 1.25") radius compatible with Cat 5e data cables


PERIMETER AND DISTRIBUTION

FLAT CROSS

MOULDED



FLANGE COUPLER



ANGLES


INTERNAL
135°
FABRICATED



EXTERNAL
135°
FABRICATED



FLAT
135°
FABRICATED



50 x 50mm	NCU/5050	1	NFC/5050	1	NMI/5050	1	NMO/5050	1	NMT/5050	1
75 x 50mm	NCU/7550	1	NFC/7550	1	NMI/7550	1	NMO/7550	1	NMT/7550	1
75 x 75mm	NCU/7575	1	NFC/7575	1	NMI/7575	1	NMO/7575	1	NMT/7575	1
100 x 40mm	NCU/1040	1	NFC/1040	1	NMI/1040	1	NMO/1040	1	NMT/1040	1
100 x 50mm	NCU/1050	1	NFC/1050	1	NMI/1050	1	NMO/1050	1	NMT/1050	1
100 x 100mm	NCU/1010	1	NFC/1010	1	NMI/1010	1	NMO/1010	1	NMT/1010	1

MCB/RCD HOUSINGS

MINI TRUNKING ADAPTOR

FOR YEA AND CMA ADAPTORS


PARTITION WALL COVER

FOR TRUNKING 100MM X 40MM

ACCESSORY BOXES

ONE GANG
25 & 35MM DEEP FOR 100MM WIDE TRUNKING

TWO GANG
25 & 35MM DEEP FOR 100MM WIDE TRUNKING



NMH/100	1	VTS/KMH/1 WHI	1	NYT/100	10	NWC/1040	5	VTS/6025 WHI	25	VTS/7025 WHI	5
		VTS/6035 WHI	25					VTS/7035 WHI	5		

VTS/KMH includes cover. Accessory not provided

35mm deep boxes are only for use in 100 x 50mm and 100 x 100mm trunking

35mm deep boxes are only for use in 100 x 50mm and 100 x 100mm trunking

WALL PLATES

REDUCERS

FOR INTERNAL
CORNERS
MOULDED

50 X 50MM
FABRICATED

75 X 50MM
FABRICATED

75 X 75MM
FABRICATED

100 X 40MM
FABRICATED

100 X 50MM
FABRICATED



NWP/5050	5								
NWP/7550	5	NTR/21	1						
NWP/7575	5	NTR/31	1	NTR/32	1				
NWP/1040	5								
NWP/1050	5	NTR/41	1	NTR/42	1		NTR/45	1	
NWP/1010	5	NTR/61	1	NTR/62	1	NTR/63	1	NTR/65	1
								NTR/64	1

THREE GANG
28MM DEEP FOR
100MM WIDE
TRUNKING

ONE GANG
25 & 35MM
DEEP
FLUSH PILLARS
(NON UK)

MOUNTING FRAMES

ADAPTOR PLATES

ACCESSORY SPACER

45 X 45MM
APERTURE
(NON UK)



VTS/8028 WHI 5
K3716 10
BOX EARTH TERMINAL

NCT/1G25 WHI 25
25MM DEEP
NCT/1G35 WHI 25
35MM DEEP

VTS/6000 WHI 10
1 GANG
SOCKET MOUNTING FRAME
VTS/7000 WHI 5
2 GANG
SOCKET MOUNTING FRAME

VTS/4545 WHI 10
FLAT
VTS/4545R WHI 10
RAISED

VTS/35B WHI 10
ADAPTOR BOX BASE

NSP/100 10
ACCESSORY SPACER
FOR 100MM WIDE
TRUNKING