

The Prestige skirting and dado trunking system provides a versatile and economical solution for supplying power, telecommunications and data throughout an installation

The system incorporates three individual trunking assemblies each with a distinct profile together with a wide range of component parts. It is superbly complemented by the Logic Plus and Edge ranges of accessories.

SKIRTING AND DADO

COMPONENT SELECTOR CHART

Components are supplied individually for each of the main trunking assemblies. The Component Selector Chart lists each component required to make up a length of main trunking.

COLOURS:
White (WHI) or Charcoal (CHA)
Material: PVC-U

MAIN CARRIER	EXTENSION CARRIER	STRAIGHT COVER	SQUARE COVER
3 METRE LENGTHS 2 METRES (NON UK)	3 METRE LENGTHS 2 METRES (NON UK)	3 METRE LENGTHS 2 METRES (NON UK)	3 METRE LENGTHS 2 METRES (NON UK)
6m	6m	30m	30m

PROFILE D 170 x 50mm



VTS/1 WHI
VTS/1 CHA

VTS/1 D1 WHI
VTS/1 D1 CHA
(2 metre lengths for non UK markets)

Requires coverseal
VTS/93

VTS/5 WHI
VTS/5 CHA

VTS/5 D1 WHI
VTS/5 D1 CHA
VTS/5 D1 COL
(2 metre lengths for non UK markets)

Requires coverseal
VTS/92 x 2

VTS/4 WHI X 2
VTS/4 CHA X 2

VTS/14 D1 WHI X 2
VTS/14 D1 CHA X 2
VTS/14 D1 COL X 2
(2 metre lengths for non UK markets)

PROFILE H 212 x 50mm



VTS/1 WHI
VTS/1 CHA

VTS/1 D1 WHI
VTS/1 D1 CHA
(2 metre lengths for non UK markets)

Requires coverseal
VTS/95

VTS/2 WHI
VTS/2 CHA

Requires coverseal
VTS/93 x 2

VTS/5 WHI X 2
VTS/5 CHA X 2

VTS/5 D1 WHI
VTS/5 D1 CHA
VTS/5 D1 COL
(2 metre lengths for non UK markets)

Requires coverseal
VTS/92

VTS/4 WHI
VTS/4 CHA

VTS/4 D1 WHI
VTS/4 D1 CHA
VTS/4 D1 COL
(2 metre lengths for non UK markets)

PROFILE K 254 x 50mm



VTS/1 WHI
VTS/1 CHA

VTS/1 D1 WHI
VTS/1 D1 CHA
(2 metre lengths for non UK markets)

Requires coverseal
VTS/95 x 2

VTS/2 WHI X 2
VTS/2 CHA X 2

VTS/2 D1 WHI
VTS/2 D1 CHA
VTS/2 D1 COL
(2 metre lengths for non UK markets)

Requires coverseal
VTS/93 x 3

VTS/5 WHI X 3
VTS/5 CHA X 3

VTS/5 D1 WHI X 2
VTS/5 D1 CHA X 2
VTS/5 D1 COL X 2
(2 metre lengths for non UK markets)



TECHNICAL HOTLINE +44 (0)1268 563720

SKIRTING AND DADO

**CARRIER
COUPLER**

5

END CAP

SUPPLIED AS SET
OF RIGHT AND
LEFT HAND PAIRS

1

**INTERNAL
CORNER
ASSEMBLY**

1

**EXTERNAL
CORNER
ASSEMBLY**

1

**STRAIGHT
CABLE
RETAINER**

10

**SQUARE
CABLE
RETAINER**

10



VTS/9 WHI
VTS/9 CHA

VTS/DS WHI
VTS/DS CHA

VTS/DI WHI
VTS/DI CHA

VTS/DE WHI
VTS/DE CHA

VTS/11 WHI

VTS/12 WHI X 2

VTS/9 WHI
VTS/9 CHA

VTS/HS WHI
VTS/HS CHA

VTS/HI WHI
VTS/HI CHA

VTS/HE WHI
VTS/HE CHA

VTS/11 WHI X 2

VTS/12 WHI

VTS/9 WHI
VTS/9 CHA

VTS/KS WHI
VTS/KS CHA

VTS/KI WHI
VTS/KI CHA

VTS/KE WHI
VTS/KE CHA

VTS/11 WHI X 3

SKIRTING AND DADO

FLAT TEE UP	FLAT TEE DOWN	FLAT ANGLE UP	FLAT ANGLE DOWN
--------------------	----------------------	----------------------	------------------------

1


1

1


1

To select the correct flat tee or angle, find the appropriate horizontal profile and read across as required.

COLOURS:
White (WHI)
or Charcoal (CHA)




PROFILE D
170 x 50mm



Vertical Profile D




VTS/TDD WHI
VTS/TDD CHA




Vertical Profile D



VTS/TDD WHI
VTS/TDD CHA




VTS/FAD WHI
VTS/FAD CHA



VTS/FAD WHI
VTS/FAD CHA


PROFILE H
212 x 50mm



Vertical Profile D




VTS/THK WHI
VTS/THK CHA



Vertical Profile K



VTS/THD WHI
VTS/THD CHA




VTS/FAH/U WHI
VTS/FAH/U CHA



VTS/FAH/D WHI
VTS/FAH/D CHA


PROFILE K
254 x 50mm



Vertical Profile K




VTS/TKK WHI
VTS/TKK CHA




Vertical Profile K



VTS/TKK WHI
VTS/TKK CHA



VTS/FAK WHI
VTS/FAK CHA



VTS/FAK WHI
VTS/FAK CHA

CORNER COVER SPARES

INTERNAL AND EXTERNAL

CORNER CARRIER SPARES

INTERNAL AND EXTERNAL

COVER SEAL SPARES

END CAP SPARES

REAR CABLE ENTRY AND CABLE ENTRY BOX

CABLE DIVIDER AND CROSS OVER BRIDGE



VTS/31 WHI



VTS/32 WHI



VTS/41 WHI




VTS/42 WHI



VTS/7 WHI



VTS/8 WHI



VTS/92 WHI



VTS/93 WHI



VTS/95 WHI



VTS/21 WHI



VTS/22 WHI



VTS/15 WHI



1922 ALM



VTS/50



VTS/90

VTS/31 WHI 1
VTS/31 CHA 1
 SQUARE INTERNAL CORNER COVER FOR PROFILES D AND H

VTS/32 WHI 1
VTS/32 CHA 1
 STRAIGHT INTERNAL CORNER COVER FOR PROFILES D, H AND K

VTS/41 WHI 1
VTS/41 CHA 1
 SQUARE EXTERNAL CORNER COVER FOR PROFILES D, H AND K

VTS/42 WHI 1
VTS/42 CHA 1
 STRAIGHT EXTERNAL CORNER COVER FOR PROFILES D AND H

VTS/7 WHI 1
VTS/7 CHA 1
 INTERNAL CORNER CARRIER FOR PROFILES D, H AND K

VTS/7 WHI and VTS/34 WHI 1
VTS/7 CHA and VTS/34 CHA 1
 INTERNAL CORNER EXTENSION CARRIER FOR PROFILES H AND K

VTS/8 WHI 1
VTS/8 CHA 1
 EXTERNAL CORNER CARRIER FOR PROFILES D, H AND K

VTS/8 WHI and VTS/44 WHI 1
VTS/8 CHA and VTS/44 CHA 1
 EXTERNAL CORNER EXTENSION CARRIER FOR PROFILES H AND K

VTS/92 WHI 1
VTS/92 CHA 1
 SQUARE COVER SEAL FOR PROFILES D AND H

VTS/93 WHI 1
VTS/93 CHA 1
 STRAIGHT COVER SEAL FOR PROFILES D, H AND K

VTS/95 WHI 1
VTS/95 CHA 1
 EXTENSION COVER SEAL FOR PROFILES H AND K

VTS/21 WHI 1
VTS/21 CHA 1
 SQUARE END CAP FOR PROFILES D AND H

VTS/22 WHI 1
VTS/22 CHA 1
 STRAIGHT END CAP FOR PROFILES D, H AND K

VTS/15 WHI 1
VTS/15 CHA 1
 REAR CABLE ENTRY

1922 ALM 5
 FLUSH CABLE ENTRY BOX FOR USE WITH VTS/15

VTS/50 30m
 CABLE DIVIDER 3 METRE LENGTHS

VTS/90 10
 CROSS OVER BRIDGE

SKIRTING AND DADO

ACCESSORY
BOXES

VTS/6025 CHA



VTS/7025 CHA



VTS/6035 WHI



VTS/7035 WHI



VTS/8028 WHI



VTS/25 S WHI



VTS/4545 WHI



VTS/4545R WHI




NCT/1G25 WHI

MCB/RCD
HOUSING


VTS/MH WHI



VTS/KMH/1 WHI

MINI
TRUNKING
ADAPTORS
AND
CONDUIT
ADAPTORS

VTS/81 WHI



VTS/81/4 WHI



VTS/SX



VTS/SXI



VTS/SXE



VTS/SXO/1

VTS/6025 WHI 25
VTS/6025 CHA 25

1 GANG
OUTLET BOX
25MM DEEP
HORIZONTAL AND
VERTICAL MOUNTING

VTS/6035 WHI 25
VTS/6035 CHA 25

1 GANG
OUTLET BOX
35MM DEEP
HORIZONTAL AND
VERTICAL MOUNTING

VTS/2017 WHI 5
BOX ADAPTOR

VTS/7025 WHI 10
VTS/7025 CHA 10

2 GANG
OUTLET BOX
25MM DEEP

VTS/7035 WHI 10
VTS/7035 CHA 10

2 GANG
OUTLET BOX
35MM DEEP

VTS/8028 WHI 5
VTS/8028 CHA 5

3 GANG
OUTLET BOX
28MM DEEP

VTS/25 S WHI 10
VTS/25 S CHA 10

ACCESSORY
SOCKET SPACER
TO ESTABLISH THE
MINIMUM DISTANCE
BETWEEN OUTLETS

K3716 10
BOX EARTH TERMINAL

VTS/4545 WHI 10

FLAT ADAPTOR PLATE
(NON UK)

45MM X 45MM APERTURE

VTS/4545R WHI 10

RAISED ADAPTOR
PLATE (NON UK)

45MM X 45MM APERTURE

VTS/35B WHI 10

ADAPTOR BOX BASE
(NON UK)

NCT/1G25 WHI 25

1 GANG OUTLET BOX
25MM DEEP FLUSH PILLARS
(NON UK)

NCT/1G35 WHI 25

1 GANG OUTLET BOX
35MM DEEP FLUSH PILLARS
(NON UK)

VTS/6000 WHI 10

1 GANG
SOCKET MOUNTING FRAME
(PHOTO – SEE PAGE 17)

VTS/7000 WHI 5

2 GANG
SOCKET MOUNTING FRAME
(PHOTO – SEE PAGE 17)

VTS/MH WHI 1
VTS/MH CHA 1

MCB/RCD HOUSING

VTS/KMH/1 WHI 1
VTS/KMH/1 CHA 1

MCB/RCD HOUSING
WITH COVER
(ACCESSORY
NOT SUPPLIED)

Mounts directly to central
compartment of trunking to
accept up to 2 x one
module products from the
Sentry range of MCBs and
RCDs (excluding one module
RCBOs).

VTS/81 WHI 10
VTS/81 CHA 10

SQUARE COVER
ADAPTOR
FOR USE WITH YEA
MINI TRUNKING

VTS/81/4 WHI 10
VTS/81/4 CHA 10

SQUARE COVER
ADAPTOR
FOR USE WITH YT4
MINI TRUNKING

VTS/S 6m
TRUNKING 3 METRE LENGTHS

VTS/SI 1
INTERNAL CORNER

VTS/SE 1
EXTERNAL CORNER

VTS/SO/1 1
OUTLET BOX ASSEMBLY
(BOX NOT SUPPLIED)

VTS/SB/1G 5
SCREENING INSERTS (PACK OF 5)
FOR 1 GANG BOX

VTS/SB/2G 5
SCREENING INSERTS (PACK OF 5)
FOR 2 GANG BOX

21016 SST9 25
SPARE BONDING LINKS

VTS/SX 6m
EXTENSION TRUNKING
3 METRE LENGTH

VTS/SXI 1
INTERNAL CORNER FOR
EXTENSION TRUNKING

VTS/SXE 1
EXTERNAL CORNER FOR
EXTENSION TRUNKING

VTS/SXO/1 1
OUTLET BOX ASSEMBLY
FOR EXTENSION TRUNKING

Screening Inserts can be used
as a screen for computer
services cables. Includes earth
lead and fixing screws. Not for
use with power cables.