

SKIRTING AND DADO



Prestige Plus offers three trunking profiles for skirting and dado applications in the colour of your choice.

With styling that complements the Logic Plus range of accessories, Prestige Plus is the perfect solution to meet the needs of both the end user and the installer in commercial applications.



Accessory mounting boxes
All boxes have facility to "knockout" back for greater depth

Internal corner
One-piece cover simplifies specification and installation. Each assembly is supplied with clip-on cover and moulded corner carrier.

Crossover bridge
Permits cable to cross from one cable compartment to another within the assembly, whilst maintaining segregation.

End caps
Neatly finish runs of trunking. Supplied as sets of right and left hand pairs and include retainers and covers. One piece cover simplifies installation.



Main carrier
Pre-drilled at 100mm centres for ease and speed of installation

Cable retainers
Hold cables in place within a profile's compartment



External corner
One-piece cover component for ease of assembly and styling. Each assembly is supplied with clip-on cover and moulded corner carriers.

MCB/RCD housing
The MCB/RCD housing mounts directly to the central compartment of the trunking and accepts up to four, 1 module products from the Sentry range.

EMC screening
Aluminium screening inserts provide an effective screen for computer service cables

Prestige Plus offers a choice of over 180 RAL paint colours. Please specify your choice when ordering.

Flat tees and angles
Enable the trunking configuration to follow the contours of the installation in a vertical plane.



SKIRTING AND DADO

COMPONENT SELECTOR CHART

Components can be supplied individually for each of the main trunking assemblies. The Component Selector Chart lists each component required to make up a length of main trunking. Carriers and cover components supplied and combined to provide complete trunking profile. Material: PVC-U

TRUNKING ASSEMBLY

3 METRES AND 2 METRES (NON UK) **3m** **4m**

COLOURS:

Trunking is available in a choice of colours White (WHI) Charcoal (CHA) Special (COL) The special (COL) offers you a choice of over 180 RAL paint colours. Specify your choice when ordering

MAIN CARRIER

3 METRES AND 2 METRES (NON UK) **6m** **4m**

EXTENSION CARRIER

3 METRES AND 2 METRES (NON UK) **6m** **4m**

STRAIGHT COVER

3 METRES AND 2 METRES (NON UK) **30m** **20m**

SQUARE COVER

3 METRES AND 2 METRES (NON UK) **30m** **20m**



PROFILE L
170 X 50mm

VTSL WHI/CHA

VTS/1 WHI
VTS/1 CHA

VTS/1 D1 WHI
VTS/1 D1 CHA

(2 metre lengths for non UK markets)

VTS/5 WHI
VTS/5 CHA
VTS/5 COL

VTS/5 D1 WHI
VTS/5 D1 CHA
VTS/5 D1 COL

(2 metre lengths for non UK markets)



PROFILE M
170 X 50mm

VTSM WHI/CHA

VTS/1 WHI
VTS/1 CHA

VTS/1 D1 WHI
VTS/1 D1 CHA

(2 metre lengths for non UK markets)

VTS/5 WHI
VTS/5 CHA
VTS/5 COL

VTS/5 D1 WHI
VTS/5 D1 CHA
VTS/5 D1 COL

(2 metre lengths for non UK markets)

VTS/4 WHI
VTS/4 CHA
VTS/4 COL

VTS/4 D1 WHI
VTS/4 D1 CHA
VTS/4 D1 COL

(2 metre lengths for non UK markets)



PROFILE N
212 X 50mm

VTSN WHI/CHA

VTS/1 WHI
VTS/1 CHA

VTS/1 D1 WHI
VTS/1 D1 CHA

(2 metre lengths for non UK markets)

VTS/2 WHI
VTS/2 CHA
VTS/2 COL

VTS/2 D1 WHI
VTS/2 D1 CHA
VTS/2 D1 COL

(2 metre lengths for non UK markets)

VTS/5 WHI X 2
VTS/5 CHA X 2
VTS/5 COL X 2

VTS/5 D1 WHI X 2
VTS/5 D1 CHA X 2
VTS/5 D1 COL X 2

(2 metre lengths for non UK markets)




TECHNICAL HOTLINE +44 (0)1268 563720

SKIRTING AND DADO

CURVED COVER

3 METRES 30m
AND
2 METRES 20m
(NON UK)



END CAP ASSEMBLY

SUPPLIED AS SET
OF RIGHT AND
LEFT HAND
PAIRS 1



INTERNAL CORNER ASSEMBLY

CONSISTS OF
COVER AND
CARRIER 1



EXTERNAL CORNER ASSEMBLY

CONSISTS OF
COVER AND
CARRIER 1



COUPLER

CONSISTS OF
JOINT COVER
AND CARRIER
COUPLER 2



CABLE RETAINERS

STRAIGHT AND
SQUARE 10



VTS/14 WHI X 2
VTS/14 CHA X 2
VTS/14 COL X 2

VTS/14 D1 WHI X 2
VTS/14 D1 CHA X 2
VTS/14 D1 COL X 2
(2 metre lengths for non UK markets)

VTS/LS WHI
VTS/LS CHA
VTS/LS COL

VTS/LI WHI
VTS/LI CHA
VTS/LI COL

VTS/LE WHI
VTS/LE CHA
VTS/LE COL

VTS/LC WHI
VTS/LC CHA
VTS/LC COL

VTS/11 WHI

VTS/12 WHI X 2

VTS/14 WHI
VTS/14 CHA
VTS/14 COL

VTS/14 D1 WHI
VTS/14 D1 CHA
VTS/14 D1 COL
(2 metre lengths for non UK markets)

VTS/MS WHI
VTS/MS CHA
VTS/MS COL

VTS/MI WHI
VTS/MI CHA
VTS/MI COL

VTS/ME WHI
VTS/ME CHA
VTS/ME COL

VTS/MC WHI
VTS/MC CHA
VTS/MC COL

VTS/11 WHI

VTS/12 WHI X 2

VTS/14 WHI
VTS/14 CHA
VTS/14 COL

VTS/14 D1 WHI
VTS/14 D1 CHA
VTS/14 D1 COL
(2 metre lengths for non UK markets)

VTS/NS WHI
VTS/NS CHA
VTS/NS COL

VTS/NI WHI
VTS/NI CHA
VTS/NI COL

VTS/NE WHI
VTS/NE CHA
VTS/NE COL

VTS/NC WHI
VTS/NC CHA
VTS/NC COL

VTS/11 WHI X 2

VTS/12 WHI

SKIRTING AND DADO

COMPONENT SELECTOR CHART

FLAT TEE UP

FLAT TEE DOWN

FLAT ANGLE UP

FLAT ANGLE DOWN



1

1


1

1

To select the correct flat tee or angle, find the appropriate horizontal profile and read across as required.



HORIZONTAL PROFILE L
170 x 50mm



Vertical Profile L



VTS/TLL WHI
VTS/TLL CHA
VTS/TLL COL



Vertical Profile L



VTS/TLL WHI
VTS/TLL CHA
VTS/TLL COL




VTS/FAL WHI
VTS/FAL CHA
VTS/FAL COL



VTS/FAL WHI
VTS/FAL CHA
VTS/FAL COL




HORIZONTAL PROFILE M
170 x 50mm



Vertical Profile L




VTS/TML WHI
VTS/TML CHA
VTS/TML COL




Vertical Profile D



VTS/TMD WHI
VTS/TMD CHA
VTS/TMD COL




VTS/FAM/U WHI
VTS/FAM/U CHA
VTS/FAM/U COL



VTS/FAM/D WHI
VTS/FAM/D CHA
VTS/FAM/D COL




HORIZONTAL PROFILE N
212 x 50mm



Vertical Profile L




VTS/TNL WHI
VTS/TNL CHA
VTS/TNL COL



Vertical Profile K



VTS/TNK WHI
VTS/TNK CHA
VTS/TNK COL



VTS/FAN/U WHI
VTS/FAN/U CHA
VTS/FAN/U COL



VTS/FAN/D WHI
VTS/FAN/D CHA
VTS/FAN/D COL

**CARRIER
COUPLER
AND
JOINT COVER**
**CORNER
COVER**
**CORNER
CARRIER**
**END CAP
COVER AND
END CAP
RETAINER**
**REAR
CABLE ENTRY
AND
CABLE ENTRY
BOX**
**CABLE
DIVIDER
AND
CROSS OVER
BRIDGE**

 INTERNAL AND
EXTERNAL

 INTERNAL AND
EXTERNAL
WHI OR CHA


VTS/16 WHI



VTS/36 WHI



VTS/7 WHI



VTS/26 WHI



VTS/15 WHI



VTS/50



VTS/96 WHI



VTS/46 WHI



VTS/8 WHI



VTS/18 WHI



1922 ALM



VTS/90

VTS/16 WHI 1
 CARRIER COUPLER
 FOR PROFILE L AND M

VTS/17 WHI 1
 CARRIER COUPLER
 FOR PROFILE N

VTS/96 WHI 1
 JOINT COVER
 FOR PROFILE L

VTS/97 WHI 1
 JOINT COVER
 FOR PROFILE M

VTS/98 WHI 1
 JOINT COVER
 FOR PROFILE N

VTS/36 WHI 1
 INTERNAL CORNER COVER
 FOR PROFILE L

VTS/37 WHI 1
 INTERNAL CORNER COVER
 FOR PROFILE M

VTS/38 WHI 1
 INTERNAL CORNER COVER
 FOR PROFILE N

VTS/46 WHI 1
 EXTERNAL CORNER COVER
 FOR PROFILE L

VTS/47 WHI 1
 EXTERNAL CORNER COVER
 FOR PROFILE M

VTS/48 WHI 1
 EXTERNAL CORNER COVER
 FOR PROFILE N

VTS/7 WHI 1
VTS/7 CHA 1
 INTERNAL CORNER
 CARRIER FOR PROFILE
 L AND M

VTS/7 WHI and 1
VTS/34 WHI 1
VTS/7 CHA and 1
VTS/34 CHA 1

 INTERNAL CORNER
 CARRIER FOR PROFILE N

VTS/8 WHI 1
VTS/8 CHA 1

 EXTERNAL CORNER
 CARRIER FOR PROFILE
 L AND M

VTS/8 WHI and 1
VTS/44 WHI 1
VTS/8 CHA and 1
VTS/44 CHA 1

 EXTERNAL CORNER
 CARRIER FOR PROFILE N

VTS/26 WHI 1
 END CAP COVER
 FOR PROFILE L

VTS/27 L/R WHI 1
 END CAP COVER
 FOR PROFILE M

VTS/28 L/R WHI 1
 END CAP COVER
 FOR PROFILE N

VTS/18 WHI 1
 END CAP RETAINER
 FOR PROFILE L AND M

VTS/18 WHI and 1
VTS/19 L/R WHI 1
 END CAP RETAINER
 FOR PROFILE N

VTS/15 WHI 1
VTS/15 CHA 1
 REAR CABLE ENTRY

1922 ALM 5
 FLUSH CABLE
 ENTRY BOX
 FOR USE WITH VTS/15

VTS/50 30m
 CABLE DIVIDER
 3 METRE LENGTHS

VTS/90 10
 CROSS OVER
 BRIDGE

SKIRTING AND DADO

ACCESSORY
BOXES

VTS/6025 CHA



VTS/7025 CHA



VTS/6035 WHI



VTS/7035 WHI



VTS/8028 WHI



VTS/25 S WHI



VTS/4545 WHI



VTS/4545R WHI



NCT/1G25 WHI

MCB/RCD
HOUSING


VTS/MH WHI



VTS/KMH/1 WHI

MINI
TRUNKING
ADAPTORS
AND
CONDUIT
ADAPTORS

VTS/81 WHI



VTS/81/4 WHI



VTS/82 CHA



VTS/85 WHI



VTS/SX



VTS/SXI



VTS/SXE



VTS/SXO/1

VTS/6025 WHI 25**VTS/6025 CHA** 251 GANG
OUTLET BOX
25MM DEEP
HORIZONTAL AND
VERTICAL MOUNTING**VTS/6035 WHI** 25**VTS/6035 CHA** 251 GANG
OUTLET BOX
35MM DEEP
HORIZONTAL AND
VERTICAL MOUNTING**VTS/2017 WHI** 10

BOX ADAPTOR

VTS/7025 WHI 10**VTS/7025 CHA** 102 GANG
OUTLET BOX
25MM DEEP**VTS/7035 WHI** 10**VTS/7035 CHA** 102 GANG
OUTLET BOX
35MM DEEP**VTS/8028 WHI** 5**VTS/8028 CHA** 53 GANG
OUTLET BOX
28MM DEEP**VTS/25 S WHI** 10**VTS/25 S CHA** 10ACCESSORY
SOCKET SPACER
TO ESTABLISH THE
MINIMUM DISTANCE
BETWEEN OUTLETS**K3716** 10

BOX EARTH TERMINAL

VTS/4545 WHI 10FLAT ADAPTOR PLATE
(NON UK)
45MM X 45MM APERTURE**VTS/4545R WHI** 10RAISED ADAPTOR
PLATE (NON UK)
45MM X 45MM APERTURE**VTS/35B WHI** 10ADAPTOR PLATE BASE
(NON UK)**VTS/6000 WHI** 101 GANG
SOCKET MOUNTING FRAME
(PHOTO – SEE PAGE 17)**VTS/7000 WHI** 52 GANG
SOCKET MOUNTING FRAME
(PHOTO – SEE PAGE 17)**VTS/2060 WHI** 102 GANG L1U6C/RJ45
SUPPLIED WITH
LID JOINT COVERS
(PHOTO – SEE PAGE 17)**VTS/2070 WHI** 102 GANG EURO/RJ45
SUPPLIED WITH
LID JOINT COVERS
(PHOTO – SEE PAGE 17)**VTS/MH WHI** 1**VTS/MH CHA** 1

MCB/RCD HOUSING

VTS/KMH/1 WHI 1MCB/RCD HOUSING
WITH COVER
(ACCESSORY
NOT SUPPLIED)Mounts directly to central
compartment of trunking to
accept up to 2 x one
module products from the
Sentry range of MCBs and
RCDs (excluding one module
RCBOs).**VTS/81 WHI** 10**VTS/81 CHA** 10**VTS/81 COL** 10SQUARE COVER ADAPTOR
FOR YT1-YT3 MINI TRUNKING
USE APPROPRIATE YEA
ADAPTOR**VTS/81/4 WHI** 10**VTS/81/4 CHA** 10**VTS/81/4 COL** 10SQUARE COVER ADAPTOR
FOR YT4 MINI TRUNKING**VTS/82 WHI** 10**VTS/82 CHA** 10**VTS/82 COL** 10CURVED COVER ADAPTOR
YT1-YT3 MINI TRUNKING
USE APPROPRIATE
YEA ADAPTOR**VTS/83 WHI** 10**VTS/83 COL** 10CURVED COVER ADAPTOR
FOR YT4 MINI TRUNKING**VTS/84 WHI** 10**VTS/84 COL** 10

20MM CONDUIT ADAPTOR

VTS/85 WHI 10**VTS/85 COL** 10

25MM CONDUIT ADAPTOR

VTS/S 6

TRUNKING 3 METRE LENGTHS

VTS/SI 1

INTERNAL CORNER

VTS/SE 1

EXTERNAL CORNER

VTS/SO/1 1OUTLET BOX ASSEMBLY
(BOX NOT SUPPLIED)**VTS/SB/1G** 5SCREENING INSERTS
FOR 1 GANG BOX (PACK OF 5)**VTS/SB/2G** 5SCREENING INSERTS
FOR 2 GANG BOX (PACK OF 5)**21016 SST9** 25

SPARE BONDING LINKS

VTS/SX 6EXTENSION TRUNKING
3 METRE LENGTH**VTS/SXI** 1INTERNAL CORNER FOR
EXTENSION TRUNKING**VTS/SXE** 1EXTERNAL CORNER FOR
EXTENSION TRUNKING**VTS/SXO/1** 1OUTLET BOX ASSEMBLY
FOR EXTENSION TRUNKINGScreening Inserts can be used
as a screen for computer
services cables. Includes earth
lead and fixing screws. Not for
use with power cables.