

## ALARM AND COMMUNICATION

Easily cut to required length

Clip on components for easy installation

Double lid clip creates strong rigid structure

Manufactured from non conductive corrosive resistant material

No wall chasing

Fewer cable clips

Multiple wiring facility

No need for cable glands and shrouds


Unique pot clamps

Fixing pillars with threaded brass inserts

All boxes fitted with earth terminal




Based on MK's well proven Ega Mini Trunking System, Red Alert brings all of the benefits in reducing the installation time on call points, computer and power supply switches, water heaters, boiler switches, emergency stops, panic alarms, smoke detectors, sounders and warning lights. Manufactured in PVC-u, the Red Alert Mini Trunking System meets the growing specification requirement for alarm circuit identification. In addition it affords extra mechanical protection to cables, dramatically improves the overall appearance of MI surface wiring and further serves, where necessary, to highlight the locations of manual call points.



**TRUNKING**
**COUPLING**
**END CAP**
**FLAT ANGLE**
**3 METRE LENGTHS**

RED TRUNKING AND FITTINGS ARE ONLY AVAILABLE IN THE 25 x 16MM PROFILE




16 x 16mm	<b>YT/1</b>	<b>60m</b>	<b>YC/1</b>	<b>20</b>	<b>YEP/1</b>	<b>20</b>	<b>YAF/1</b>	<b>20</b>
25 x 16mm	<b>YT/2 RED</b>	<b>30m</b>	<b>YC/2 RED</b>	<b>20</b>	<b>YEP/2 RED</b>	<b>20</b>	<b>YAF/2 RED</b>	<b>20</b>
	<b>YT/2</b>	<b>60m</b>	<b>YC/2</b>	<b>20</b>	<b>YEP/2</b>	<b>20</b>	<b>YAF/2</b>	<b>20</b>
32 x 12.5mm	<b>YT/200</b>	<b>30m</b>	<b>YC/200</b>	<b>20</b>	<b>YEP/200</b>	<b>20</b>	<b>YAF/200</b>	<b>20</b>
40 x 16mm	<b>YT/3</b>	<b>30m</b>	<b>YC/3</b>	<b>10</b>	<b>YEP/3</b>	<b>20</b>	<b>YAF/3</b>	<b>5</b>

**INTERNAL CORNER**
**EXTERNAL CORNER**
**SIDE TEE**
**FLAT TEE**
**ADAPTORS**

Aperture sizes  
YST/2/1: 16 x 16mm  
YST/2/2: 25 x 16mm



Aperture sizes  
YTF/2/1: 16 x 16mm  
YTF/2/2: 25 x 16mm



16 x 16mm	<b>YAI/1</b>	<b>20</b>	<b>YAE/1</b>	<b>20</b>		<b>YTF/1</b>	<b>20</b>	<b>YEA/1</b>	<b>25</b>	
25 x 16mm	<b>YAI/2 RED</b>	<b>20</b>	<b>YAE/2 RED</b>	<b>20</b>	<b>YST/2/1</b>	<b>10</b>	<b>YTF/2/1</b>	<b>20</b>	<b>YEA/2 RED</b>	<b>25</b>
	<b>YAI/2</b>	<b>20</b>	<b>YAE/2</b>	<b>20</b>	<b>YST/2/2 RED</b>	<b>10</b>	<b>YTF/2/2 RED</b>	<b>20</b>	<b>YEA/2 RED</b>	<b>25</b>
					<b>YST/2/2</b>	<b>10</b>	<b>YTF/2/2</b>	<b>20</b>	<b>YEA/2</b>	<b>25</b>
32 x 12.5mm	<b>YAI/200</b>	<b>20</b>	<b>YAE/200</b>	<b>20</b>	<b>YST/200</b>	<b>10</b>	<b>YTF/200</b>	<b>20</b>	<b>YEA/200</b>	<b>25</b>
40 x 16mm	<b>YAI/3</b>	<b>5</b>	<b>YAE/3</b>	<b>5</b>			<b>YTF/3</b>	<b>5</b>	<b>YEA/3</b>	<b>25</b>

## ALARM AND COMMUNICATION

## BOXES

MI ACCESSORY  
BOXMI ACCESSORY  
BOX  
(2 ENTRY)STANDARD  
ACCESSORY BOX  
(1 ENTRY)STANDARD  
ACCESSORY BOX  
(2 ENTRY)CIRCULAR  
ACCESSORY BOX  
(1/2 ENTRY)

ESU/501 RED

5

ESU/502 RED

5

ESU/503 RED

5

ESU/504 RED

5

YCR/502 RED

5

ESU/501 WHI

5

ESU/502 WHI

5

ESU/503 WHI

5

ESU/504 WHI

5

YCR/502 WHI

5

## SQUARE ACCESSORY BOXES

ACCESSORY FIXING CENTRES: 60.3mm  
EXTERNAL DIMENSIONS: 86 x 86 x 38mm  
Pillar thread size: M3.5

## CIRCULAR ACCESSORY BOXES

ACCESSORY FIXING CENTRES: 50.8mm and 70.0mm  
EXTERNAL DIMENSIONS: 134mm diameter  
Pillar thread size: M4  
Load suspension: 3kg at 60° C max

