

junctionboxes and connection boxes

A high quality
robust range,
moulded in brown
or white, designed
for easy installation





JUNCTION BOXES - SELECTIVE ENTRY

Catalogue Number	Description	Carton Quantity
604	4 way 20 amp 80mm diameter (3 1/4") brown	10
604W	4 way 20 amp 80mm diameter (3 1/2") white	10
603	3 way 30 amp 89mm diameter (3 1/2") brown	10
603W	3 way 30 amp 89mm diameter (3 1/2") white	10
606	6 way 20 amp 89mm diameter (3 1/2") brown	10
606W	6 way 20 amp 89mm diameter (3 1/2") white	10

- Manufactured to BS 6220
- Selective entries indicated by numbers and symbols on rotating cover
- Lower lip of entries can easily be knocked out to take twin cables
- Rear entry knockouts in base to facilitate ease of wiring
- Suitable for unbroken ring wire installations
- Moulded in brown or white urea
- Robust, generous capacity slot terminals with large grub screws

JUNCTION BOXES - KNOCKOUT ENTRY


Catalogue Number	Description	Carton Quantity
491	4 way 20 amp 57mm diameter (2 1/4") brown	20
491W	4 way 20 amp 57mm diameter (2 1/2") white	20

- Manufactured to BS 6220
- Small and unobtrusive
- Suitable for unbroken ring wire installations
- Moulded in brown or white urea
- Robust, generous capacity slot terminals with large grub screws

JUNCTION BOXES - HEAVY DUTY

Catalogue Number	Description	Carton Quantity
4100SP	3-way 100 amp single pole	10
4100DP	3-way 100 amp double pole	5
460	3-way 60 amp	5

- Manufactured to BS 5733
- High amperage connector blocks
- Brass terminal block
- Robust, generous capacity slot terminals with large grub screws
- Moulded in brown urea
- Approved to VDE 0606



JUNCTION BOXES - LIGHTING

Catalogue Number	Description	Carton Quantity
403	3-way 3 amp	10
405	3-way 5 amp	10
410	3-way 10 amp	10

- Manufactured to BS 5733 where applicable
- Ideal for use in lighting applications
- Approved BS EN 60998 terminal block
- Small and unobtrusive
- Mounting holes for horizontal and vertical fixing
- Approved to VDE 0606



EXTERNAL JUNCTION BOX

Catalogue Number	Description	Carton Quantity
490	80 x 80 x 50mm with 4 entry points	10

- IP54
- Temperature resistant to 80°C
- Flame protection VDE 0471/DIN IEC 695/2-1
- Approved to VDE 0606



COMPACT WATERPROOF JUNCTION BOXES

Catalogue Number	Description	Carton Quantity
THK200C1E00	Teebox kit IP54 in black, 3 pole	25
THK200C2E	Teebox kit IP67 in black, 3 pole	25

- IP54 or IP67 rated
- Cable diameter 4-9.5mm
- 450V 24A rated
- Temperature range -20 to +100°C
- Complete with a fitting kit



WATERPROOF INLINE CONNECTORS

Catalogue Number	Description	Carton Quantity
TTK20BKSD	TeeTube 20mm black, 3 pole, cable diameter 5mm-13mm	25
TTK25BKSD	TeeTube 25mm black, 5 pole, cable diameter 8mm-17mm	25

- IP68 rated
- 450V 32A rated
- Temperature range -20 - 100°C
- Complete with fitting kit & available in a range of colours subject to MOQ

